

HR-V SPECIFICATIONS & FEATURES

ENGINE	LX	EX	EX-L HYBRI
ENGINE TYPE	IN-LINE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
	4-CYLINDER 1496	4-CYLINDER 1496	4-CYLINDER 1496
DISPLACEMENT (CC)	1496	1496	1496
TORQUE (LB-FT @ RPM)	127 @ 4300	107 @ 4300	94 @ 4500-5000
BORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	13.5 : 1
VALVE TRAIN	16-VALVE DOHC I-VTEC	16-VALVE DOHC I-VTEC	16-VALVE DOHO I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	٢
HILL DESCENT CONTROL	۲	۲	0
HILL START ASSIST (HSA)	0	0	۲
ECO ASSIST SYSTEM	٢	٢	٢
DIRECT IGNITION SYSTEM WITH IMMOBILIZER	۲	۲	٢
ELECTRIC MOTOR		-	٢
HORSEPOWER @ RPM			129 @ 4000-800
TORQUE (LB-FT @ RPM)			187 @ 0-3500
TOTAL SYSTEM HORSEPOWER*	-	-	212
3-MODE DRIVE SYSTEM (ECON / NORMAL / SPORT)		-	0
IDLE-STOP			0
	LX	EV	÷
	CX ©	EX Ø	EX-L HYBRII
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	8	 WITH PADDLE
ELECTRONIC CONTINUOUSLY VARIABLE TRANSMISSION (E-CVT)	-	-	SHIFTERS
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L HYBRII
UNIT-BODY CONSTRUCTION	٢	۲	٢
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
TORSION-BEAM REAR SUSPENSION	0	0	0
ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	2.7	2.7	2.7
STEERING WHEEL TURNS, LOCK-TO-LOCK	14.4	14.4	14.4
STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M)	14.4	14.4	14.4
POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES			
(MM, FRONT / REAR)	293 / 282	293 / 282	293/282
ALLOY WHEELS	17*	17"	17*
TIRES	215/60 R17 96H	215/60 R17 96H	215/60 R17 96H TIRE REPAIR KIT
	LX	EX	
EXTERIOR MEASUREMENTS			EX-L HYBRII
WHEELBASE (MM)	2610	2610	2010
	4346	4346	4346
	4346 1590	4346	4346
HEIGHT (MM)	4346 1590 1790	4346 1590 1790	4346 1590 1790
HEIGHT (MM) WIDTH (MM)	1590	1590	1590
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR)	1590 1790	1590 1790	1590 1790
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN)	1590 1790 1548 /1553	1590 1790 1548 /1553	1590 1790 1548 /1553
HEIGHT (MM) MIDTH (MM) TRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG)	1590 1790 1548 /1553 196	1590 1790 1548 /1553 196	1590 1790 1548 /1553 196
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR)	1590 1790 1548/1553 196 1294	1590 1790 1548/1553 196 1304	1590 1790 1548 /1553 196 1380 54 / 46
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS	1590 1790 1548/1553 196 1294 53/47	1590 1790 1548 /1553 196 1304 53 / 47	1590 1790 1548 /1553 196 1380 54 / 46
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR)	1590 1790 1548 / 1553 196 1294 53 / 47 LX	1590 1590 1548/1553 196 1304 53/47 EX	1590 1790 1548/1553 196 1380 54/46 EX-L HYBRII
HEIGHT (MM) WIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT ISTRIBUTON (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1294 53/47 LX 984/957	1590 1590 1548/1553 196 1304 53/47 EX 984/957	1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017	1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT IGNT(M, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP)	1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1304 53747 EX 984/957 1047/1017 1438/1357 1349/1151	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT (KG) HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) ELGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS)	1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT IGNT (M, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLLIME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS)	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (UTERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL	1550 1550 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNILEADED
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (UTERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNILEADED
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 354/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNILEADED EX-L HYBRII
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT (KG) WEIGHT (KG) HIPROOM (MM, FRONT / REAR) LEADROOM (MM, FRONT / REAR) LEADROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX ©	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 254 / 1315 2.76 / 2761 EX 40 REGULAR UNLEADED EX ♥	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
HEIGHT (MM) WIDTH (MM) WIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT JISTINDTON (%, FRONT / REAR) UNTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLLUME (MJ / ITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNILEADED LX ©	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1047/1017 1043/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNIEADED EX-L HYBRII ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRIBUTION (%, FRONT / REAR) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA	1590 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULADED LX ©	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNIEADED EX-L HYBRII © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) ILEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) EVEL EXTERIOR FEATURES EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM WITH REMOTE ENTRY	1550 1550 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX 6 6 7 7 7 7 8 8 9 8 9 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CLURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) ILTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) FUEL ROOM (MM, FRONT / REAR) EUGHEA CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEALLIGHTS LED FOG LIGHTS EID FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM WITH REMOTE ENTRY SMART ENTRY SYSTEM	1590 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX © 1 0 0 0 0 0 0 0 0 0 0 0 0 0	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 400 REGULAR UNLEADED EX ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.7.6/2761 EX-L HYBRII 40 REGULAR UNLEADED EX-L HYBRII © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRUBUTION (%, FRONT / REAR) UNTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (MJ / ITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS ELED FOG LIGHTS FOL	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 /957 1047 / 1017 1438 / 1357 1349 / 1151 254 / 1315 2.76 / 2761 EX 40 REQUUR UNLEADED EX © © © © © © © © © © © © ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII EX-L HYBRII EX-L HYBRII © © © © © © © © © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM, MONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRUETION (%, FRONT / REAR) UNTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (MJ / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS LED FOG LIGHTS LED FOG LIGHTS EIDE FOG LIGHTS EIDE FOG LIGHTS EIDE FOG LIGHTS EXTERNING MONTED ANTENNA SECURITY SYSTEM REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER BODY-COLORED REAR ROOFLINE SPOILER	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX © C C C C C C C C C C C C C	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR WNLEADED EX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 354/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULA UNILEADED EX-L HYBRI 40 REGULA UNILEADED © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CLUB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) ILEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) EVELLE EXTERIOR FEATURES LED HEALLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM MITH REMOTE ENTRY SMART ENTRY SYSTEM REVERSES-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER BODY-COLORED REAR ROOFLINE SPOILER BODY-COLORED POWER SIDE MIRRORS WITH INTEGRATED LED	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 /957 1047 / 1017 1438 / 1357 1349 / 1151 254 / 1315 2.76 / 2761 EX 40 REQUUR UNLEADED EX © © © © © © © © © © © © ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII EX-L HYBRII EX-L HYBRII © © © © © © © © © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (UTERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER BODY-COLORED REAR ROOF INE SPOILER BODY-COLORED REAR ROOF INE SWITH INTEGRATED LED TURN INDICATORS	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © C C C C C C C C C C C C C	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 /957 1047 / 1017 1438 / 1357 1349 / 1151 2354 / 1315 2.76 / 2761 EX 40 REGULAR UNLEADED EX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII EX-L HYBRII C C C C C C C C
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, RONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRUTION (%, FRONT / REAR) UNTERLOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) FUELDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) HIPROOD (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) HIPROOD FUEL HEADLIGHTS WITH AUTO-OFF HED BRAKE AND TAILLIGHTS HED FUEL HEADLIGHTS WITH AUTO-OFF HED BRAKE AND TAILLIGHTS HEAD TAILLIGHTS HEAD FUEL HEADLIGHTS WITH REMOTE ENTRY SMART ENTRY SYSTEM REPOILER HODY-COLORED REAR ROOFLINE SPOILER HODY-COLORED REAR ROOFLINE SPOILER HEADPLOCOLORED DOOR HANDLES	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © C C C C C C C C C C C C C	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 0 REGULR 0 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1500 1790 1548 / 1553 196 1380 54 / 46 EX-L HYBRII 40 REGULAR UNLEADED EX-L HYBRII C C C C C C C C C C

SAFETY HONDA SENSING TECHNOLOGIES	LX	EX	EX-L HYBRI
COLLISION MITIGATION BRAKING SYSTEM (CMBS)			0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)			0
ADAPTIVE CRUISE CONTROL (ACC)			0
LANE KEEPING ASSIST SYSTEM (LKAS)			٢
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)		-	0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	٢	٢
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
	0	0	0
FRONT AIRBAGS (SRS)			
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	۲	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH):	0	0	0
2ND-ROW OUTBOARD		•	
SEAT BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
COMFORT & CONVENIENCE	LX	EX	EX-L HYBRI
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZONE
POWER DOOR LOCKS	0	۲	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
ILLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	0	0
PUSH BUTTON START	0	0	0
ONE-TOUCH TURN INDICATORS	0	0	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
	-	-	-
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	0	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	٢	٢
REAR-SEAT HEATER DUCTS	0	0	٢
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER	0	0	٢
CARGO AREA TIE-DOWN ANCHORS	0	0	0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS	0	0	0
DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATED
SLIDING SUNVISORS WITH TICKET HOLDER	0	0	©
LED CARGO AREA LIGHT	0	0	0
LED CENTER CONSOLE STORAGE	0	0	0
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB		0	0
AUTOMATIC-DIMMING REARVIEW MIRROR		0	0
SEATING	LX	EX	EX-L HYBRI
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POWER
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
SEATING CAPACITY	5	5	5
LEATHER-TRIMMED SEATS		-	0
AUDIO & CONNECTIVITY	LX	EX	EX-L HYBRI
8-INCH COLOR TOUCH-SCREEN	0	0	0
AUDIO SYSTEM WITH 4-SPEAKERS	0	6-SPEAKERS	8-SPEAKERS
2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	0	0	0
12-VOLT POWER OUTLET	0	•	0
IN-CAR SMARTPHONE INTEGRATION APP	0	0	0
BLUETOOTH HANDS FREE LINK	0	0	0
BLUE IOU IN HANDS FREE LINK	0	-	-
	0	0	7-INCH
BLUETOOTH STREAMING AUDIO			
4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN	0	۲	
BLUETOOTH STREAMING AUDIO 4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN 2.5-AMP USB CHARGING PORTS (2 REAR)	O	0	Ø

I STANDARD -- | NOT AVAILABLE




hondalatincaribbean.com Locate your Honda Distributor online.

latincaribbean.hondatechtutor.com For helpful videos about vehicle features.



Specifications, features, illustrations and equipment shown are based upon the latest available information at the time of publication. Although descriptions are believed to be correct, accuracy cannot be guaranteed. Some features mentioned herein are not available in all markets. 2022 American Honda Motor Co., Inc. 22M KT



HR-V SPECIFICATIONS & FEATURES

ENGINE	LX	EX	EX-L HYBRI
ENGINE TYPE	IN-LINE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
	4-CYLINDER 1496	4-CYLINDER 1496	4-CYLINDER 1496
DISPLACEMENT (CC)	1496	1496	1496
TORQUE (LB-FT @ RPM)	127 @ 4300	107 @ 4300	94 @ 4500-5000
BORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	13.5 : 1
VALVE TRAIN	16-VALVE DOHC I-VTEC	16-VALVE DOHC I-VTEC	16-VALVE DOHO I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	٢
HILL DESCENT CONTROL	۲	۲	0
HILL START ASSIST (HSA)	0	0	٢
ECO ASSIST SYSTEM	٢	٢	٢
DIRECT IGNITION SYSTEM WITH IMMOBILIZER	۲	۲	٢
ELECTRIC MOTOR		-	٢
HORSEPOWER @ RPM			129 @ 4000-800
TORQUE (LB-FT @ RPM)			187 @ 0-3500
TOTAL SYSTEM HORSEPOWER*	-	-	212
3-MODE DRIVE SYSTEM (ECON / NORMAL / SPORT)		-	0
IDLE-STOP			0
	LX	EV	÷
	CX ©	EX Ø	EX-L HYBRII
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	8	 WITH PADDLE
ELECTRONIC CONTINUOUSLY VARIABLE TRANSMISSION (E-CVT)	-	-	SHIFTERS
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L HYBRII
UNIT-BODY CONSTRUCTION	٢	۲	٢
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
TORSION-BEAM REAR SUSPENSION	0	0	0
ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	2.7	2.7	2.7
STEERING WHEEL TURNS, LOCK-TO-LOCK	14.4	14.4	14.4
STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M)	14.4	14.4	14.4
POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES			
(MM, FRONT / REAR)	293 / 282	293 / 282	293/282
ALLOY WHEELS	17*	17"	17*
TIRES	215/60 R17 96H	215/60 R17 96H	215/60 R17 96H TIRE REPAIR KIT
	LX	EX	
EXTERIOR MEASUREMENTS			EX-L HYBRII
WHEELBASE (MM)	2610	2610	2010
	4346	4346	4346
	4346 1590	4346	4346
HEIGHT (MM)	4346 1590 1790	4346 1590 1790	4346 1590 1790
HEIGHT (MM) WIDTH (MM)	1590	1590	1590
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR)	1590 1790	1590 1790	1590 1790
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN)	1590 1790 1548 /1553	1590 1790 1548 /1553	1590 1790 1548 /1553
HEIGHT (MM) MIDTH (MM) TRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG)	1590 1790 1548 /1553 196	1590 1790 1548 /1553 196	1590 1790 1548 /1553 196
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR)	1590 1790 1548/1553 196 1294	1590 1790 1548/1553 196 1304	1590 1790 1548 /1553 196 1380 54 / 46
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS	1590 1790 1548/1553 196 1294 53/47	1590 1790 1548 /1553 196 1304 53 / 47	1590 1790 1548 /1553 196 1380 54 / 46
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR)	1590 1790 1548 / 1553 196 1294 53 / 47 LX	1590 1590 1548/1553 196 1304 53/47 EX	1590 1790 1548/1553 196 1380 54/46 EX-L HYBRII
HEIGHT (MM) WIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT ISTRIBUTON (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1294 53/47 LX 984/957	1590 1590 1548/1553 196 1304 53/47 EX 984/957	1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017	1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT IGNT(M, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP)	1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1304 53747 EX 984/957 1047/1017 1438/1357 1349/1151	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT (KG) HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) ELGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS)	1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT IGNT (M, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLLIME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS)	1590 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (UTERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL	1550 1550 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNILEADED
HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) ELEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (UTERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNILEADED
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 354/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNILEADED EX-L HYBRII
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT (KG) WEIGHT (KG) HIPROOM (MM, FRONT / REAR) LEADROOM (MM, FRONT / REAR) LEADROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX ©	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 254 / 1315 2.76 / 2761 EX 40 REGULAR UNLEADED EX ♥	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
HEIGHT (MM) WIDTH (MM) WIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT JISTINDTON (%, FRONT / REAR) UNTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLLUME (MJ / ITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNILEADED LX ©	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1047/1017 1043/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNIEADED EX-L HYBRII ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRIBUTION (%, FRONT / REAR) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA	1590 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULADED LX ©	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII 40 REGULAR UNIEADED EX-L HYBRII © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) ILEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) EVEL EXTERIOR FEATURES EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM WITH REMOTE ENTRY	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX 6 6 7 7 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
HEIGHT (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CLURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) ILTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) FUEL ROOM (MM, FRONT / REAR) EUGHEA CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEALLIGHTS LED FOG LIGHTS EID FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM WITH REMOTE ENTRY SMART ENTRY SYSTEM	1590 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX © 1 0 0 0 0 0 0 0 0 0 0 0 0 0	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 400 REGULAR UNLEADED EX ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.7.6/2761 EX-L HYBRII 40 REGULAR UNLEADED EX-L HYBRII © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRUBUTION (%, FRONT / REAR) UNTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (MJ / ITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS ELED FOG LIGHTS FOL	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 /957 1047 / 1017 1438 / 1357 1349 / 1151 254 / 1315 2.76 / 2761 EX 40 REQUUR UNLEADED EX © © © © © © © © © © © © ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII EX-L HYBRII EX-L HYBRII © © © © © © © © © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM, MONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRUETION (%, FRONT / REAR) UNTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (MJ / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS LED FOG LIGHTS LED FOG LIGHTS EIDE FOG LIGHTS EIDE FOG LIGHTS EIDE FOG LIGHTS EXTERNING MONTED ANTENNA SECURITY SYSTEM REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER BODY-COLORED REAR ROOFLINE SPOILER	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX © C C C C C C C C C C C C C	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR WNLEADED EX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRI 354/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULA UNILEADED EX-L HYBRI 40 REGULA UNILEADED © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CLUB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) ILEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (MT / REAR) CARGO VOLUME (MT / REAR) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) EVELLE EXTERIOR FEATURES LED HEALLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM MITH REMOTE ENTRY SMART ENTRY SYSTEM REVERSES-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER BODY-COLORED REAR ROOFLINE SPOILER BODY-COLORED POWER SIDE MIRRORS WITH INTEGRATED LED	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1590 1790 1548 /1553 196 1304 53 / 47 EX 984 /957 1047 / 1017 1438 / 1357 1349 / 1151 254 / 1315 2.76 / 2761 EX 40 REQUUR UNLEADED EX © © © © © © © © © © © © ©	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII EX-L HYBRII EX-L HYBRII © © © © © © © © © ©
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (UTERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER BODY-COLORED REAR ROOF INE SPOILER BODY-COLORED REAR ROOF INE SWITH INTEGRATED LED TURN INDICATORS	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © C C C C C C C C C C C C C	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © 0 0 0 0 0 0 0 0 0 0 0 0 0	1500 1790 1548/1553 196 1380 54/46 EX-L HYBRII 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRII EX-L HYBRII C C C C C C C C
HEIGHT (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) WIDTH (MM) TRACK (MM, RONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT DISTRUTION (%, FRONT / REAR) UNTERLOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) FUELDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) HIPROOD (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) HIPROOD FUEL HEADLIGHTS WITH AUTO-OFF HED BRAKE AND TAILLIGHTS HED FUEL HEADLIGHTS WITH AUTO-OFF HED BRAKE AND TAILLIGHTS HEAD TAILLIGHTS HEAD FUEL HEADLIGHTS WITH REMOTE ENTRY SMART ENTRY SYSTEM REPOILER HODY-COLORED REAR ROOFLINE SPOILER HODY-COLORED REAR ROOFLINE SPOILER HEADPLOCOLORED DOOR HANDLES	1590 1590 1790 1548 / 1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 RECULAR UNLEADED LX © C C C C C C C C C C C C C	1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 0 REGULR 0 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1500 1500 1790 1548/1553 196 1380 54/46 EX-L HYBRIE 40 REGULAR UNLEADED EX-L HYBRIE 40 REGULAR UNLEADED EX-L HYBRIE 40 C C C C C C C C C C C C C

SAFETY HONDA SENSING TECHNOLOGIES	LX	EX	EX-L HYBRI
COLLISION MITIGATION BRAKING SYSTEM (CMBS)			0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)			0
ADAPTIVE CRUISE CONTROL (ACC)			0
LANE KEEPING ASSIST SYSTEM (LKAS)			٢
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)		-	0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	٢	٢
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
	0	0	0
FRONT AIRBAGS (SRS)			
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	۲	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH):	0	0	0
2ND-ROW OUTBOARD		•	
SEAT BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
COMFORT & CONVENIENCE	LX	EX	EX-L HYBRI
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZONE
POWER DOOR LOCKS	0	۲	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
ILLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	0	0
PUSH BUTTON START	0	0	0
ONE-TOUCH TURN INDICATORS	0	0	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
	-	-	-
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	0	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	٢	٢
REAR-SEAT HEATER DUCTS	0	0	٢
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER	0	0	٢
CARGO AREA TIE-DOWN ANCHORS	0	0	0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS	0	0	0
DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATED
SLIDING SUNVISORS WITH TICKET HOLDER	0	0	©
LED CARGO AREA LIGHT	0	0	0
LED CENTER CONSOLE STORAGE	0	0	0
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB		0	0
AUTOMATIC-DIMMING REARVIEW MIRROR		0	0
SEATING	LX	EX	EX-L HYBRI
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POWER
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
SEATING CAPACITY	5	5	5
LEATHER-TRIMMED SEATS		-	0
AUDIO & CONNECTIVITY	LX	EX	EX-L HYBRI
8-INCH COLOR TOUCH-SCREEN	0	0	0
AUDIO SYSTEM WITH 4-SPEAKERS	0	6-SPEAKERS	8-SPEAKERS
2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	0	0	0
12-VOLT POWER OUTLET	0	•	0
IN-CAR SMARTPHONE INTEGRATION APP	0	0	0
BLUETOOTH HANDS FREE LINK	0	0	0
BLUE IOU IN HANDS FREE LINK	0	-	-
	0	0	7-INCH
BLUETOOTH STREAMING AUDIO			
4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN	0	۲	
BLUETOOTH STREAMING AUDIO 4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN 2.5-AMP USB CHARGING PORTS (2 REAR)	O	0	Ø

I STANDARD -- | NOT AVAILABLE



hondalatincaribbean.com Locate your Honda Distributor online.

latincaribbean.hondatechtutor.com For helpful videos about vehicle features.



Specifications, features, illustrations and equipment shown are based upon the latest available information at the time of publication. Although descriptions are believed to be correct, accuracy cannot be guaranteed. Some features mentioned herein are not available in all markets. 2022 American Honda Motor Co., Inc. 22M KT